#### SZ5-M1-WX-XX – High-Power LED

Superior Efficacy and Lumen output with Small Form Factor

Z Power LED - Z5-M1

SZ5-M1-WX-XX (Cool, Neutral, Warm)





#### **Product Brief**

#### **Description**

- The Z-Power series is designed for high flux output applications with high current operation capability.
- It incorporates state of the art SMD design and low thermal resistant material.
- The Z Power LED is ideal light sources for directional lighting applications such as Spot Lights, various outdoor applications, automotive lightings and high performance torches.

#### **Features and Benefits**

- High Lumen Output and Efficacy
- Designed for high current operation
- Low Thermal Resistance
- Wide CCT range 3000~7000K
- High Color Quality, CRI Min. 80
- ANSI compliant Binning
- MacAdam 3 Step for Warm White

#### **Key Applications**

- · Indoor lighting
- Outdoor lighting
- Automotive
- Architectural lighting
- Industrial lighting (High/Low bay)
- Portable Torch
- Home appliance

**Table 1. Product Selection Table** 

Part Number		CRI			
Part Number	Color	Min.	Тур.	Max.	Min
SZ5-M1-W0-00	Cool White	4700K	5300K	7000K	70
SZ5-M1-WN-00	Neutral White	3700K	4000K	4700K	70
SZ5-M1-WN-C8	Neutral White	3700K	4000K	4700K	80
SZ5-M1-WW-00	Warm White	2600K	3000K	3200K	68
SZ5-M1-WW-C8	Warm White	2600K	3000K	3700K	80
SZ5-M1-WW-C9	Warm White	2600K	3000K	3200K	90

## **Table of Contents**

#### Index

- Product Brief
- Table of Contents
- Performance Characteristics
- Color Bin Structure
- Mechanical Dimensions
- Packaging Information
- Product Nomenclature (Labeling Information)
- Recommended Solder Pad
- Reflow Soldering Characteristics
- Handling of Silicone Resin for LEDs
- Precaution For Use
- Company Information



## **Performance Characteristics**

Table 2. Electro Optical Characteristics, T<sub>i</sub>=25°C, RH30%

Part Number	ССТ (K) <sup>[1]</sup>	Lur	Typical ninous Flu Φ <sub>V</sub> <sup>[3]</sup> (Im)	x <sup>[2]</sup>	٠.	ical Forwa Itage (V <sub>F</sub> ) <sup>[</sup>		CRI <sup>[5]</sup> , R <sub>a</sub>	Viewing Angle (degree s) 20 ½
	Тур.	350mA	700mA*	1.2A*	350mA	700mA*	1.2A*	Min.	Тур.
SZ5-M1-W0-00	5300	158	285	433	2.95	3.14	3.33	70	118
SZ5-M1-WN-00	4000	156	276	415	2.95	3.14	3.33	70	118
SZ5-M1-WN-C8	4000	142	253	382	2.95	3.14	3.33	80	118
SZ5-M1-WW-00	3000	148	265	403	2.95	3.14	3.33	68	118
SZ5-M1-WW-C8	3000	128	231	353	2.95	3.14	3.33	80	118
SZ5-M1-WW-C9	3000	105	188	286	2.95	3.14	3.33	90	118

Table 3. Electro Optical Characteristics, T<sub>j</sub>=85°C

Part Number	CCT (K)	Typical Luminous Flux <sup>[2]</sup> Φ <sub>v</sub> <sup>[3]</sup> (Im)			Luminous Flux [2]			oical Forward oltage (V <sub>F</sub> ) <sup>[4]</sup>		
	Тур.	350mA	700mA*	1.2A*	350mA	700mA*	1.2A*			
SZ5-M1-W0-00	5300	142	258	393	2.78	2.96	3.14			
SZ5-M1-WN-00	4000	137	250	380	2.78	2.96	3.14			
SZ5-M1-WN-C8	4000	126	229	349	2.78	2.96	3.14			
SZ5-M1-WW-00	3000	141	239	364	2.78	2.96	3.14			
SZ5-M1-WW-C8	3000	117	210	322	2.78	2.96	3.14			
SZ5-M1-WW-C9	3000	95	153	232	2.78	2.96	3.14			

#### Notes:

- (1) Correlated Color Temperature is derived from the CIE 1931 Chromaticity diagram. Color coordinate: ±0.005, CCT ±5% tolerance.
- (2) Seoul Semiconductor maintains a tolerance of  $\pm 7\%$  on flux and power measurements.
- (3)  $\Phi_V$  is the total luminous flux output as measured with an integrating sphere.
- (4) Tolerance is  $\pm 0.06$ V on forward voltage measurements.
- (5) Tolerance is  $\pm 2.0$  on CRI measurements.
- \* No values are provided by real measurement. Only for reference purpose



## **Performance Characteristics**

Table 4. Absolute Maximum Ratings, T<sub>i</sub>=25°C

Dovemeter	Cumbal			Unit	
Parameter	Symbol	Min.	Тур.	Max.	] Onit
Forward Current [1]	l <sub>F</sub>	-	-	1.5	Α
Peak Pulsed Forward Current [2]	I <sub>F</sub>			2.0	Α
Reverse Voltage	$V_R$	-	-	5	V
Power Dissipation	$P_d$	-	-	5.22	W
Junction Temperature	T <sub>j</sub>	-	-	150	°C
Operating Temperature	$T_{opr}$	- 40	-	125	°C
Storage Temperature	T <sub>stg</sub>	- 40	-	125	°C
Thermal resistance (J to S) [3]	Rθ <sub>J-S</sub>	-	4.5	-	K/W
ESD Sensitivity(HBM) [4]		Class	3A JESD22-A	114-E	

#### Notes:

- (2) Pulse width ≤10ms, duty cycle ≤ 10% condition.
- (3)  $R\theta_{J-S}$  is tested at 350mA.
- (4) The zener diode is included to protect the product from ESD.



## **Relative Spectral Distribution**

Fig 1. Color Spectrum (T<sub>i</sub>=25°C)





Fig 2. Typical Spatial Distribution



## **Forward Current Characteristics**

Fig 3. Forward Voltage vs. Forward Current ( $T_j=25\,^{\circ}\mathrm{C}$ )






Fig 4. Forward Current vs. Relative Luminous Flux (T<sub>i</sub>=25 ℃)



## **Forward Current Characteristics**

Fig 5. Forward Current vs. CIE X, Y Shift,  $T_i$ =25  $^{\circ}$ C





## **Junction Temperature Characteristics**

Fig 6. Relative Light Output vs. Junction Temperature, I<sub>F</sub>=350mA






Fig 7. Junction Temp. vs. CIE X, Y Shift, I<sub>F</sub>=350mA





# **Junction Temperature Characteristics**

Fig 8. Relative Forward vs. Junction Temperature, I<sub>F</sub>=350mA





## **Ambient Temperature Characteristics**

Fig 9. Maximum Forward Current vs. Ambient Temperature, T<sub>i</sub>(max.)=150℃, I<sub>F</sub>=1.5A






Table 5. Bin Code description (@ $I_F$ =350mA,  $T_j$ =25  $^{\circ}$ C)

	Lumir	nous Flux (	lm)	Color	Typical Fo	Typical Forward Voltage	
Part Number	Bin Code	Min.	Max.	Chromaticity Coordinate	Bin Code	Min.	Max.
	V2	130	140		G	2.75	3.00
SZ5-M1-W0-00	V3	140	150	Refer to page.13	———	3.00	3.25
023 WT VV 00	W1	150	160	Noter to page. To			
	W2	160	170		I	3.25	3.50
	V2	130	140		G	2.75	3.00
SZ5-M1-WN-00	V3	140	150	Refer to page.14	Н	3.00	3.25
023 WT WT 00	W1	150	160	Note: to page. 14			0.20
	W2	160	170		I	3.25	3.50
	U3	109	118.5		G	2.75	3.00
SZ5-M1-WN-C8	V1	118.5	130	Refer to page.14	Н	3.00	3.25
023 WIT-WIV 00	V2	130	140	Note: to page. 14			0.20
	V3	140	150		I	3.25	3.50
	V2	130	140		G	2.75	3.00
SZ5-M1-WW-00	V3	140	150	Refer to page.15	Н	3.00	3.25
020 WT VVV 00	W1	150	160	Noter to page. To			
					I	3.25	3.50
	U3	109	118.5		G	2.75	3.00
SZ5-M1-WW-C8	V1	118.5	130	Refer to page.15	Н	3.00	3.25
525 ***** 50	V2	130	140	. tolol to pago. 10			
	V3	140	150		ı	3.25	3.50
	U1	91	100		G	2.75	3.00
SZ5-M1-WW-C9	U2	100	109	Refer to page.15	Н	3.00	3.25
	U3	109 118.5		Table 12 page. 10			
					l	3.25	3.50



Table 6. Flux Bin Code description (@T<sub>j</sub>=85℃)

	Luminous Flux (Im)							
Bin Code	350r	nA*	<b>700</b> n	nA*				
Bill Code	Min.	Max.	Min.	Max.				
U1	84	92	152	167				
U2	92	100	167	182				
U3	100	109	182	198				
V1	109	119	198	217				
V2	119	129	217	234				
V3	129	138	234	251				
W1	138	147	251	268				
W2	147	156	268	284				


Table 7. VF Bin Code description (@ $T_j$ =85  $^{\circ}$ C)

	For	ward Voltage (V <sub>F</sub> )			
Bin Code	350r	nA*	700mA*		
Bill Code	Min.	Max.	Min.	Max.	
G	2.60	2.82	2.77	3.02	
Н	2.82	3.06	3.02	3.27	
I	3.06	3.30	3.27	3.52	

<sup>\*</sup> No values are provided by real measurement. Only for reference purpose.




## CIE Chromaticity Diagram (Cool white), $T_j$ =25 $^{\circ}$ C, $I_F$ =350mA



Α	.0	А	1	А	2	А	.3	А	4
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.3028	0.3304	0.3115	0.3393	0.3041	0.3240	0.3126	0.3324	0.3055	0.3177
0.3041	0.3240	0.3126	0.3324	0.3055	0.3177	0.3136	0.3256	0.3068	0.3113
0.3126	0.3324	0.3210	0.3408	0.3136	0.3256	0.3216	0.3334	0.3146	0.3187
0.3115	0.3393	0.3205	0.3481	0.3126	0.3324	0.3210	0.3408	0.3136	0.3256
Α	.5	В	0	В	1	В	2	В	3
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.3136	0.3256	0.3207	0.3462	0.3292	0.3539	0.3212	0.3389	0.3293	0.3461
0.3146	0.3187	0.3212	0.3389	0.3293	0.3461	0.3217	0.3316	0.3293	0.3384
0.3221	0.3261	0.3293	0.3461	0.3373	0.3534	0.3293	0.3384	0.3369	0.3451
0.3216	0.3334	0.3292	0.3539	0.3376	0.3616	0.3293	0.3461	0.3373	0.3534
В	4	В	5	C	0	C	1	C	2
				_		-		_	
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
CIE x 0.3217	CIE y 0.3316	CIE x 0.3293	CIE y 0.3384	_	CIE y 0.3616	CIE x 0.3463	CIE y 0.3687		
				CIE x				CIE x	CIE y
0.3217	0.3316	0.3293	0.3384	CIE x 0.3376	0.3616	0.3463	0.3687	CIE x 0.3373	CIE y 0.3534
0.3217 0.3222	0.3316 0.3243	0.3293 0.3294	0.3384 0.3306	CIE x 0.3376 0.3373	0.3616 0.3534	0.3463 0.3456	0.3687 0.3601	CIE x 0.3373 0.3369	CIE y 0.3534 0.3451
0.3217 0.3222 0.3294 0.3293	0.3316 0.3243 0.3306	0.3293 0.3294 0.3366 0.3369	0.3384 0.3306 0.3369	CIE x 0.3376 0.3373 0.3456 0.3463	0.3616 0.3534 0.3601	0.3463 0.3456 0.3539	0.3687 0.3601 0.3669	CIE x 0.3373 0.3369 0.3448	CIE y 0.3534 0.3451 0.3514
0.3217 0.3222 0.3294 0.3293	0.3316 0.3243 0.3306 0.3384	0.3293 0.3294 0.3366 0.3369	0.3384 0.3306 0.3369 0.3451	CIE x 0.3376 0.3373 0.3456 0.3463	0.3616 0.3534 0.3601 0.3687	0.3463 0.3456 0.3539	0.3687 0.3601 0.3669	CIE x 0.3373 0.3369 0.3448	CIE y 0.3534 0.3451 0.3514
0.3217 0.3222 0.3294 0.3293	0.3316 0.3243 0.3306 0.3384	0.3293 0.3294 0.3366 0.3369	0.3384 0.3306 0.3369 0.3451	CIE x 0.3376 0.3373 0.3456 0.3463	0.3616 0.3534 0.3601 0.3687	0.3463 0.3456 0.3539	0.3687 0.3601 0.3669	CIE x 0.3373 0.3369 0.3448	CIE y 0.3534 0.3451 0.3514
0.3217 0.3222 0.3294 0.3293 CIE x	0.3316 0.3243 0.3306 0.3384 3 CIE y	0.3293 0.3294 0.3366 0.3369	0.3384 0.3306 0.3369 0.3451	CIE x 0.3376 0.3373 0.3456 0.3463	0.3616 0.3534 0.3601 0.3687 5 CIE y	0.3463 0.3456 0.3539	0.3687 0.3601 0.3669	CIE x 0.3373 0.3369 0.3448	CIE y 0.3534 0.3451 0.3514
0.3217 0.3222 0.3294 0.3293 CIE x 0.3456	0.3316 0.3243 0.3306 0.3384 3 CIE y 0.3601	0.3293 0.3294 0.3366 0.3369 CIE x 0.3369	0.3384 0.3306 0.3369 0.3451 4 CIE y 0.3451	CIE x 0.3376 0.3373 0.3456 0.3463 CIE x 0.3448	0.3616 0.3534 0.3601 0.3687 5 CIE y 0.3514	0.3463 0.3456 0.3539	0.3687 0.3601 0.3669	CIE x 0.3373 0.3369 0.3448	CIE y 0.3534 0.3451 0.3514




## 



D	0	D	1	D	2	D	3	D	4
CIE x	CIE y								
0.3548	0.3736	0.3641	0.3804	0.3536	0.3646	0.3625	0.3711	0.3524	0.3555
0.3536	0.3646	0.3625	0.3711	0.3524	0.3555	0.3608	0.3616	0.3512	0.3465
0.3625	0.3711	0.3714	0.3775	0.3608	0.3616	0.3692	0.3677	0.3590	0.3521
0.3641	0.3804	0.3736	0.3874	0.3625	0.3711	0.3714	0.3775	0.3608	0.3616
D	5	E	0	E	1	E	2	E	3
CIE x	CIE y								
0.3608	0.3616	0.3736	0.3874	0.3869	0.3958	0.3714	0.3775	0.3842	0.3855
0.3590	0.3521	0.3714	0.3775	0.3842	0.3855	0.3692	0.3677	0.3813	0.3751
0.3670	0.3578	0.3842	0.3855	0.3970	0.3935	0.3813	0.3751	0.3934	0.3825
0.3692	0.3677	0.3869	0.3958	0.4006	0.4044	0.3842	0.3855	0.3970	0.3935
E	4	E	5						
CIE x	CIE y	CIE x	CIE y	_					
0.3692	0.3677	0.3813	0.3751						
0.3670	0.3578	0.3783	0.3646	-					
0.3783	0.3646	0.3898	0.3716	-					
0.3813	0.3751	0.3934	0.3825	-					

### CIE Chromaticity Diagram (Warm white), T<sub>j</sub>=25 ℃, I<sub>F</sub>=350mA





CIE x	0	F	1	F	2	F	3	l F	4
CIE X	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.3996	0.4015	0.4146	0.4089	0.396	0.3907	0.4104	0.3978	0.3925	0.3798
0.396	0.3907	0.4104	0.3978	0.3925	0.3798	0.4062	0.3865	0.3889	0.369
0.4104	0.3978	0.4248	0.4048	0.4062	0.3865	0.4198	0.3931	0.4017	0.3751
0.4146	0.4089	0.4299	0.4165	0.4104	0.3978	0.4248	0.4048	0.4062	0.3865
F	5	G	11	G	12	G <sup>.</sup>	13	G <sup>.</sup>	14
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.4062	0.3865	0.4299	0.4165	0.4261	0.4077	0.4223	0.3990	0.4185	0.3902
0.4017	0.3751	0.4261	0.4077	0.4223	0.3990	0.4185	0.3902	0.4147	0.3814
0.4147	0.3814	0.4324	0.4100	0.4284	0.4011	0.4243	0.3922	0.4203	0.3834
0.4198	0.3931	0.4365	0.4189	0.4324	0.4100	0.4284	0.4011	0.4243	0.3922
	21		22		23		24		
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.4365	0.4189	0.4324	0.4100	0.4284	0.4011	0.4243	0.3922	0.4430	0.4212
0.4324	0.4100	0.4284	0.4011	0.4243	0.3922	0.4203	0.3834	0.4387	0.4122
0.4387	0.4122	0.4345	0.4033	0.4302	0.3943	0.4259	0.3853	0.4451	0.4145
0.4430	0.4212	0.4387	0.4122	0.4345	0.4033	0.4302	0.3943	0.4496	0.4236
	32		33				41		42
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
0.4387	0.4122	0.4345	0.4033	0.4302	0.3943	0.4496	0.4236	0.4451	0.4145
0.4345	0.4033	0.4302	0.3943	0.4259	0.3853	0.4451	0.4145	0.4406	0.4055
0.4406	0.4055	0.4361	0.3964	0.4316	0.3873	0.4515	0.4168	0.4468	0.4077
0.4451	0.4145	0.4406	0.4055	0.4361	0.3964	0.4562	0.4260	0.4515	0.4168
								H <sup>*</sup>	
CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y	CIE x	CIE y
CIE x 0.4406	CIE y 0.4055	CIE x 0.4361	CIE y 0.3964	CIE x 0.4625	CIE y 0.4275	CIE x 0.4575	CIE y 0.4182	CIE x 0.4526	CIE y 0.4090
CIE x 0.4406 0.4361	CIE y 0.4055 0.3964	CIE x 0.4361 0.4316	CIE y 0.3964 0.3873	CIE x 0.4625 0.4575	CIE y 0.4275 0.4182	CIE x 0.4575 0.4526	CIE y 0.4182 0.4090	CIE x 0.4526 0.4477	CIE y 0.4090 0.3998
CIE x 0.4406 0.4361 0.4420	CIE y 0.4055 0.3964 0.3985	CIE x 0.4361 0.4316 0.4373	CIE y 0.3964 0.3873 0.3893	CIE x 0.4625 0.4575 0.4515	CIE y 0.4275 0.4182 0.4168	CIE x 0.4575 0.4526 0.4468	CIE y 0.4182 0.4090 0.4077	CIE x 0.4526 0.4477 0.4420	CIE y 0.4090 0.3998 0.3985
CIE x 0.4406 0.4361 0.4420 0.4468	CIE y 0.4055 0.3964 0.3985 0.4077	CIE x 0.4361 0.4316 0.4373 0.4420	CIE y 0.3964 0.3873 0.3893 0.3985	OIE x 0.4625 0.4575 0.4515 0.4562	CIE y 0.4275 0.4182 0.4168 0.4260	CIE x 0.4575 0.4526 0.4468 0.4515	CIE y 0.4182 0.4090 0.4077 0.4168	CIE x 0.4526 0.4477 0.4420 0.4468	CIE y 0.4090 0.3998 0.3985 0.4077
CIE x 0.4406 0.4361 0.4420 0.4468	CIE y 0.4055 0.3964 0.3985 0.4077	CIE x 0.4361 0.4316 0.4373 0.4420	CIE y 0.3964 0.3873 0.3893 0.3985	CIE x 0.4625 0.4575 0.4515 0.4562	CIE y 0.4275 0.4182 0.4168 0.4260	CIE x 0.4575 0.4526 0.4468 0.4515	CIE y 0.4182 0.4090 0.4077 0.4168	CIE x 0.4526 0.4477 0.4420 0.4468	CIE y 0.4090 0.3998 0.3985 0.4077
CIE x 0.4406 0.4361 0.4420 0.4468 H' CIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y	CIE x 0.4361 0.4316 0.4373 0.4420 H: CIE x	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y	CIE x 0.4625 0.4575 0.4515 0.4562 H: CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y	CIE x 0.4526 0.4477 0.4420 0.4468 H: CIE x	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y
CIE x 0.4406 0.4361 0.4420 0.4468 Hi CIE x 0.4477	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998	CIE x 0.4361 0.4316 0.4373 0.4420 H2 CIE x 0.4687	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289	CIE x 0.4625 0.4575 0.4515 0.4562 H: CIE x 0.4636	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197	CIE x 0.4575 0.4526 0.4468 0.4515 H2 CIE x 0.4585	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104	CIE x 0.4526 0.4477 0.4420 0.4468 CIE x 0.4534	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012
CIE x 0.4406 0.4361 0.4420 0.4468 H' CIE x 0.4477 0.4428	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906	CIE x 0.4361 0.4316 0.4373 0.4420 H2 CIE x 0.4687 0.4636	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197	CIE x 0.4625 0.4575 0.4515 0.4562 H2 CIE x 0.4636 0.4585	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104	CIE x 0.4575 0.4526 0.4468 0.4515 H2 CIE x 0.4585 0.4534	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012	CIE x 0.4526 0.4477 0.4420 0.4468 CIE x 0.4534 0.4483	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919
CIE x 0.4406 0.4361 0.4420 0.4468 H' CIE x 0.4477 0.4428 0.4373	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893	CIE x 0.4361 0.4316 0.4373 0.4420 H; CIE x 0.4687 0.4636 0.4575	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182	CIE x 0.4625 0.4575 0.4515 0.4562 H: CIE x 0.4636 0.4585 0.4526	CIE y 0.4275 0.4182 0.4168 0.4260 222 CIE y 0.4197 0.4104 0.4090	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998	CIE x 0.4526 0.4477 0.4420 0.4468 H; CIE x 0.4534 0.4483 0.4428	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906
CIE x 0.4406 0.4361 0.4420 0.4468 H' CIE x 0.4477 0.4428 0.4373 0.4420	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985	CIE x 0.4361 0.4316 0.4373 0.4420 H: CIE x 0.4687 0.4636 0.4575 0.4625	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275	CIE x 0.4625 0.4575 0.4515 0.4562 H: CIE x 0.4636 0.4585 0.4526 0.4575	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090	CIE x 0.4526 0.4477 0.4420 0.4468 H: CIE x 0.4534 0.4483 0.4428 0.4477	CIE y 0.4090 0.3998 0.3998 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985	CIE x 0.4361 0.4316 0.4373 0.4420 HE CIE x 0.4636 0.4575 0.4625	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275	CIE x 0.4625 0.4575 0.4515 0.4562 H2 CIE x 0.4636 0.4585 0.4526 0.4575	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182	CIE x 0.4575 0.4526 0.4468 0.4515 HI CIE x 0.4585 0.4534 0.4477 0.4526	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090	CIE x 0.4526 0.4477 0.4420 0.4468 CIE x 0.4534 0.4483 0.4428 0.4477	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998
CIE x 0.4406 0.4361 0.4420 0.4468 HCIE x 0.4477 0.4428 0.4373 0.4420 HCIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y	CIE x 0.4361 0.4316 0.4373 0.4420 H; CIE x 0.4687 0.4636 0.4575 0.4625 H; CIE x	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y	CIE x 0.4625 0.4575 0.4515 0.4562 H; CIE x 0.4636 0.4585 0.4526 0.4575 H; CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y	CIE x 0.4575 0.4526 0.4468 0.4515 HCIE x 0.4585 0.4534 0.4477 0.4526 HCIE x	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  H. CIE x	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998 41 CIE y
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304	CIE x 0.4361 0.4316 0.4373 0.4420 HCIE x 0.4687 0.4636 0.4575 0.4625 HCIE x 0.4697	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211	CIE x 0.4625 0.4575 0.4515 0.4562 H; CIE x 0.4636 0.4585 0.4526 0.4575 H; CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  HA CIE x 0.4810	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998 41 CIE y 0.4319
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x 0.4750 0.4697	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211	CIE x 0.4361 0.4316 0.4373 0.4420 H; CIE x 0.4687 0.4636 0.4575 0.4625 H; CIE x 0.4697 0.4644	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118	CIE x 0.4625 0.4575 0.4515 0.4562 H: CIE x 0.4636 0.4585 0.4526 0.4575 H: CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025	CIE x 0.4575 0.4526 0.4468 0.4515 H; CIE x 0.4585 0.4534 0.4477 0.4526 H; CIE x 0.4591 0.4538	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932	CIE x 0.4526 0.4477 0.4420 0.4468 H: CIE x 0.4534 0.4483 0.4428 0.4477 H: CIE x 0.4810 0.4758	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998 41 CIE y 0.4319 0.4225
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x 0.4750 0.4697 0.4636	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197	CIE x 0.4361 0.4316 0.4373 0.4420 HI CIE x 0.4687 0.4636 0.4575 0.4625 HI CIE x 0.4697 0.46644 0.4585	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104	CIE x 0.4625 0.4575 0.4515 0.4562  CIE x 0.4636 0.4585 0.4526 0.4575  CIE x 0.4644 0.4591 0.4534	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x 0.4750 0.4697 0.4636 0.4687	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289	CIE x 0.4361 0.4316 0.4373 0.4420 HE CIE x 0.4687 0.4636 0.4575 0.4625 HC CIE x 0.4697 0.4644 0.4585 0.4636	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197	CIE x 0.4625 0.4575 0.4515 0.4562  CIE x 0.4636 0.4585 0.4526 0.4575  CIE x 0.4644 0.4591 0.4534 0.4585	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012 0.4104	CIE x 0.4575 0.4526 0.4468 0.4515 H; CIE x 0.4585 0.4534 0.4477 0.4526 H; CIE x 0.4591 0.4538	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932	CIE x 0.4526 0.4477 0.4420 0.4468 H: CIE x 0.4534 0.4483 0.4428 0.4477 H: CIE x 0.4810 0.4758	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3906 0.3998 41 CIE y 0.4319 0.4225
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x 0.4750 0.4697 0.4636 0.4687	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289	CIE x 0.4361 0.4376 0.4373 0.4420 H; CIE x 0.4687 0.4636 0.4575 0.4625 H; CIE x 0.4697 0.4644 0.4585 0.4636 H;	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197	CIE x 0.4625 0.4575 0.4515 0.4562  HI CIE x 0.4636 0.4585 0.4526 0.4575  HI CIE x 0.4644 0.4591 0.4585 HI 0.4585	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012 0.4104	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211
CIE x 0.4406 0.4361 0.4420 0.4468 HCIE x 0.4477 0.4428 0.4373 0.4420 HCIE x 0.4750 0.4697 0.4636 0.4687 HCIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289 42 CIE y	CIE x 0.4361 0.4373 0.4420 H; CIE x 0.4687 0.4636 0.4575 0.4625 H; CIE x 0.4697 0.4644 0.4585 0.4636 H; CIE x	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197 43 CIE y	CIE x 0.4625 0.4575 0.4515 0.4562  H; CIE x 0.4636 0.4585 0.4526 0.4575  H; CIE x 0.4644 0.4591 0.4534 0.4585  H; CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4104 44 CIE y	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211
CIE x 0.4406 0.4361 0.4420 0.4468 HCIE x 0.4477 0.4428 0.4373 0.4420 HCIE x 0.4750 0.4697 0.4636 0.4687 HCIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289 42 CIE y 0.4225	CIE x 0.4361 0.4373 0.4420 H CIE x 0.4687 0.4636 0.4575 0.4625 H CIE x 0.4697 0.4644 0.4585 0.4636 H CIE x	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197 43 CIE y 0.4132	CIE x 0.4625 0.4575 0.4515 0.4562 H; CIE x 0.4636 0.4585 0.4526 0.4575 H; CIE x 0.4644 0.4591 0.4534 0.4585 H; CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012 0.4104 44 CIE y 0.4038	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211
CIE x 0.4406 0.4361 0.4420 0.4468 H CIE x 0.4477 0.4428 0.4373 0.4420 H CIE x 0.4750 0.4697 0.4636 0.4687 H CIE x 0.4758 0.4758	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289 42 CIE y 0.4225 0.4132	CIE x 0.4361 0.4316 0.4373 0.4420 H: CIE x 0.4687 0.4636 0.4575 0.4625 H: CIE x 0.4697 0.4644 0.4585 0.4636 H: CIE x 0.4703 0.4648	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197 43 CIE y 0.4132 0.4038	CIE x 0.4625 0.4575 0.4515 0.4562  CIE x 0.4636 0.4585 0.4526 0.4575  CIE x 0.4644 0.4591 0.4534 0.4585  H: CIE x 0.4648 0.4593	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012 0.4104 44 CIE y 0.4038 0.3944	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211
CIE x 0.4406 0.4361 0.4420 0.4468 HCIE x 0.4477 0.4428 0.4373 0.4420 HCIE x 0.4750 0.4697 0.4636 0.4687 HCIE x	CIE y 0.4055 0.3964 0.3985 0.4077 14 CIE y 0.3998 0.3906 0.3893 0.3985 31 CIE y 0.4304 0.4211 0.4197 0.4289 42 CIE y 0.4225	CIE x 0.4361 0.4373 0.4420 H CIE x 0.4687 0.4636 0.4575 0.4625 H CIE x 0.4697 0.4644 0.4585 0.4636 H CIE x	CIE y 0.3964 0.3873 0.3893 0.3985 21 CIE y 0.4289 0.4197 0.4182 0.4275 32 CIE y 0.4211 0.4118 0.4104 0.4197 43 CIE y 0.4132	CIE x 0.4625 0.4575 0.4515 0.4562 H; CIE x 0.4636 0.4585 0.4526 0.4575 H; CIE x 0.4644 0.4591 0.4534 0.4585 H; CIE x	CIE y 0.4275 0.4182 0.4168 0.4260 22 CIE y 0.4197 0.4104 0.4090 0.4182 33 CIE y 0.4118 0.4025 0.4012 0.4104 44 CIE y 0.4038	CIE x 0.4575 0.4526 0.4468 0.4515 H: CIE x 0.4585 0.4534 0.4477 0.4526 H: CIE x 0.4591 0.4538 0.4483	CIE y 0.4182 0.4090 0.4077 0.4168 23 CIE y 0.4104 0.4012 0.3998 0.4090 34 CIE y 0.4025 0.3932 0.3919	CIE x 0.4526 0.4477 0.4420 0.4468  CIE x 0.4534 0.4483 0.4428 0.4477  CIE x 0.4810 0.4758 0.4697	CIE y 0.4090 0.3998 0.3985 0.4077 24 CIE y 0.4012 0.3919 0.3996 0.3998 41 CIE y 0.4319 0.4225 0.4211

## **Mechanical Dimensions**


# Top View

# **Bottom View**






# Side View



# Circuit




#### Notes:

- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) Undefined tolerance is  $\pm 0.1$ mm

### SZ5-M1-WX-XX – High-Power LED

# **Emitter Tape & Reel Packaging**



## **Product Nomenclature**

RANK:

**QUANTITY: #####** 

LOT NUMBER: ###### #### ###

SSC PART NUMBER : ### ## ## ##


SEOUL


Table 8. Part Numbering System :  $X_1X_2X_3 - X_4X_5 - X_6X_7 - X_8X_9$ 

Part Number Code	Description	Part Number	Value
X <sub>1</sub>	Company	S	
X <sub>2</sub>	Z-Power LED series number	Z	
X <sub>3</sub>	PKG series	5	
X <sub>4</sub>	PKG series	М	M series
X <sub>5</sub>	Revision number	1	New version
X <sub>6</sub> X <sub>7</sub>	Color Specification	WO	Pure white
		WN	Neutral white
		WW	Warm white
X <sub>8</sub> X <sub>9</sub>	Color Specification	C8	CRI (min.) 80
		C9	CRI (min.) 90
		00	The others

Lot Number Code	Description
Y <sub>1</sub>	Year
Y <sub>2</sub>	Month
<b>Y</b> <sub>3</sub>	Day
Y <sub>4</sub>	Production area
<b>Y</b> <sub>5</sub>	Mass order
Y <sub>6</sub>	Taping number
Y <sub>7</sub>	Reel number
Y <sub>8</sub>	Internal management number

## **Recommended Solder Pad**





Recommended PCB Solder Pad

Recommended Stencil Pattern

#### Notes:

- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) This drawing without tolerances are for reference only.
- (4) Undefined tolerance is  $\pm 0.1$ mm.



#### SZ5-M1-WX-XX – High-Power LED

## **Reflow Soldering Characteristics**




Table 10.

Profile Feature	Sn-Pb Eutectic Assembly	Pb-Free Assembly	
Average ramp-up rate (Tsmax to Tp)	3° C/second max.	3° C/second max.	
Preheat - Temperature Min (Tsmin) - Temperature Max (Tsmax) - Time (Tsmin to Tsmax) (ts)	100 °C 150 °C 60-120 seconds	150 °C 200 °C 60-180 seconds	
Time maintained above: - Temperature (TL) - Time (tL)	183 °C 60-150 seconds	217 °C 60-150 seconds	
Peak Temperature (Tp)	215℃	260℃	
Time within 5°C of actual Peak Temperature (tp)2	10-30 seconds	20-40 seconds	
Ramp-down Rate	6 °C/second max.	6 °C/second max.	
Time 25°C to Peak Temperature	6 minutes max.	8 minutes max.	

#### Caution


- (1) Reflow soldering is recommended not to be done more than two times. In the case of more than 24 hours passed soldering after first, LEDs will be damaged.
- (2) Repairs should not be done after the LEDs have been soldered. When repair is unavoidable, suitable tools must be used.
- (3) Die slug is to be soldered.
- (4) When soldering, do not put stress on the LEDs during heating.
- (5) After soldering, do not warp the circuit board.

#### SZ5-M1-WX-XX - High-Power LED

## **Handling of Silicone Resin for LEDs**

(1) During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound.





- (2) In general, LEDs should only be handled from the side. By the way, this also applies to LEDs without a silicone sealant, since the surface can also become scratched.
- (3) When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the surface of the resin must be prevented. This is assured by choosing a pick and place nozzle which is larger than the LED's reflector area.
- (4) Silicone differs from materials conventionally used for the manufacturing of LEDs. These conditions must be considered during the handling of such devices. Compared to standard encapsulants, silicone is generally softer, and the surface is more likely to attract dust. As mentioned previously, the increased sensitivity to dust requires special care during processing. In cases where a minimal level of dirt and dust particles cannot be guaranteed, a suitable cleaning solution must be applied to the surface after the soldering of components.
- (5) Seoul Semiconductor suggests using isopropyl alcohol for cleaning. In case other solvents are used, it must be assured that these solvents do not dissolve the package or resin. Ultrasonic cleaning is not recommended. Ultrasonic cleaning may cause damage to the LED.
- (6) Please do not mold this product into another resin (epoxy, urethane, etc) and do not handle this product with acid or sulfur material in sealed space.
- (7) Avoid leaving fingerprints on silicone resin parts.

# SEOUL SEMICONDUCTOR

#### SZ5-M1-WX-XX - High-Power LED

### **Precaution for Use**

(1) Storage

To avoid the moisture penetration, we recommend storing Z5 Series LEDs in a dry box with a desiccant . The recommended storage temperature range is 5  $^{\circ}$ C to 30  $^{\circ}$ C and a maximum humidity of RH50%.

(2) Use Precaution after Opening the Packaging

Use proper SMD techniques when the LED is to be soldered dipped as separation of the lens may affect the light output efficiency.

Pay attention to the following:

- a. Recommend conditions after opening the package
  - Sealing / Temperature : 5 ~ 40 °C Humidity : less than RH30%
- b. If the package has been opened more than 1 year (MSL 2) or the color of the desiccant changes, components should be dried for 10-12hr at  $60\pm5$  °C
- (3) Do not apply mechanical force or excess vibration during the cooling process to normal temperature after soldering.
- (4) Do not rapidly cool device after soldering.
- (5) Components should not be mounted on warped (non coplanar) portion of PCB.
- (6) Radioactive exposure is not considered for the products listed here in.
- (7) Gallium arsenide is used in some of the products listed in this publication. These products are dangerous if they are burned or shredded in the process of disposal. It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed of.
- (8) This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA (Isopropyl Alcohol) should be used.
- (9) When the LEDs are in operation the maximum current should be decided after measuring the package temperature.
- (10) LEDs must be stored properly to maintain the device. If the LEDs are stored for 3 months or more after being shipped from Seoul Semiconductor. A sealed container with a nitrogen atmosphere should be used for storage.
- (11) The appearance and specifications of the product may be modified for improvement without notice.
- (12) Long time exposure of sunlight or occasional UV exposure will cause lens discoloration.

# SEOUL SEMICONDUCTOR

#### SZ5-M1-WX-XX - High-Power LED

### **Precaution for Use**

- (13) VOCs (Volatile organic compounds) emitted from materials used in the construction of fixtures can penetrate silicone encapsulants of LEDs and discolor when exposed to heat and photonic energy. The result can be a significant loss of light output from the fixture. Knowledge of the properties of the materials selected to be used in the construction of fixtures can help prevent these issues.
- (14) The slug is electrically isolated.
- (15) Attaching LEDs, do not use adhesives that outgas organic vapor.
- (16) The driving circuit must be designed to allow forward voltage only when it is ON or OFF. If the rev erse voltage is applied to LED, migration can be generated resulting in LED damage.
- (17) LEDs are sensitive to Electro-Static Discharge (ESD) and Electrical Over Stress (EOS). Below is a list of suggestions that Seoul Semiconductor purposes to minimize these effects.
- a. ESD (Electro Static Discharge)

Electrostatic discharge (ESD) is the defined as the release of static electricity when two objects come into contact. While most ESD events are considered harmless, it can be an expensive problem in many industrial environments during production and storage. The damage from ESD to an LEDs may cause the product to demonstrate unusual characteristics such as:

- Increase in reverse leakage current lowered turn-on voltage
- Abnormal emissions from the LED at low current

The following recommendations are suggested to help minimize the potential for an ESD event. One or more recommended work area suggestions:

- Ionizing fan setup
- ESD table/shelf mat made of conductive materials
- ESD safe storage containers

One or more personnel suggestion options:

- Antistatic wrist-strap
- Antistatic material shoes
- Antistatic clothes

#### Environmental controls:

- Humidity control (ESD gets worse in a dry environment)

# SEOUL SEMICONDUCTOR

#### SZ5-M1-WX-XX - High-Power LED

### **Precaution for Use**

b. EOS (Electrical Over Stress)

Electrical Over-Stress (EOS) is defined as damage that may occur when an electronic device is subjected to a current or voltage that is beyond the maximum specification limits of the device. The effects from an EOS event can be noticed through product performance like:

- Changes to the performance of the LED package
  (If the damage is around the bond pad area and since the package is completely encapsulated the package may turn on but flicker show severe performance degradation.)
- Changes to the light output of the luminaire from component failure
- Components on the board not operating at determined drive power

Failure of performance from entire fixture due to changes in circuit voltage and current across total circuit causing trickle down failures. It is impossible to predict the failure mode of every LED exposed to electrical overstress as the failure modes have been investigated to vary, but there are some common signs that will indicate an EOS event has occurred:

- Damaged may be noticed to the bond wires (appearing similar to a blown fuse)
- Damage to the bond pads located on the emission surface of the LED package (shadowing can be noticed around the bond pads while viewing through a microscope)
- Anomalies noticed in the encapsulation and phosphor around the bond wires.
- This damage usually appears due to the thermal stress produced during the EOS event.
- c. To help minimize the damage from an EOS event Seoul Semiconductor recommends utilizing:
  - A surge protection circuit
  - An appropriately rated over voltage protection device
  - A current limiting device



SZ5-M1-WX-XX – High-Power LED

## **Company Information**

#### Published by

Seoul Semiconductor © 2013 All Rights Reserved.

#### **Company Information**

Seoul Semiconductor (www.SeoulSemicon.com) manufacturers and packages a wide selection of light emitting diodes (LEDs) for the automotive, general illumination/lighting, Home appliance, signage and back lighting markets. The company is the world's fifth largest LED supplier, holding more than 10,000 patents globally, while offering a wide range of LED technology and production capacity in areas such as "nPola", "Acrich", the world's first commercially produced AC LED, and "Acrich MJT - Multi-Junction Technology" a proprietary family of high-voltage LEDs.

The company's broad product portfolio includes a wide array of package and device choices such as Acrich and Acirch2, high-brightness LEDs, mid-power LEDs, side-view LEDs, and through-hole type LEDs as well as custom modules, displays, and sensors.

#### **Legal Disclaimer**

Information in this document is provided in connection with Seoul Semiconductor products. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Seoul Semiconductor hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party. The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.